	Application No.	Applicant(s)
	10/826,368	IWAMOTO ET AL.
Notice of Allowability	Examiner	Art Unit
	Barbara Summons	2817
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment received 12/7/05.		
2. The allowed claim(s) is/are <u>2-18</u> .		
<ul> <li>3.</li></ul>		
2. Certified copies of the priority documents have been received in Application No		
Centified copies of the priority documents have been received in Application No      Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	·	
1. ⊠ Notice of References Cited (PTO-892)	<del></del>	atent Application (PTO-152)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Da</li> </ol>	
3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/0		ment/Comment
Paper No./Mail Date 1/18/06 & 2/10/06  4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. 🔲 Other	
	o. 🗀 Outot	

**REASONS FOR ALLOWANCE** 

1. The following is an examiner's statement of reasons for allowance:

Regarding claims 16 and 18, the Examiner agrees with Applicants' argument that the prior art of record does not disclose or fairly suggest a duplexer or electronic apparatus having every one of the claimed features, and especially having the feature "the chip having pads located further out than the resonators in the SAW propagation direction" (see claims 16 and 18, the last two lines thereof). The Examiner agrees that the prior art shows only pads further out than the resonators in a direction perpendicular to the SAW propagation direction. An additional search for the newly recited feature only yielded other references that clearly show pads located further out than the resonators in a direction perpendicular to the SAW propagation direction (see reference cited below).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ikada U.S. 6,369,672 discloses two SAW ladder filters on a substrate with the resonators side by side in a SAW propagation direction (i.e. up and down in Fig. 14), but

Application/Control Number: 10/826,368

Art Unit: 2817

the pads on the chip are not further out than the resonators in the up and down/SAW propagation direction.

Taniguchi U.S. 6,943,645 shows two SAW ladder filters and a phase matching line on a chip (Fig. 5) with the resonators of the filters side by side in the SAW propagation direction (up and down in Fig. 5), but the pads are clearly shown further out from the resonators only in the left to right direction that is perpendicular to the SAW propagation direction.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara Summons whose telephone number is (571) 272-1771. The examiner can normally be reached on M-Th, M-Fr.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bob Pascal can be reached on (571) 271-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bs February 16, 2006 BONDONS
BARBARA SUMMONS
PRIMARY EXAMINER

\*\*\*

Page 3